ELSEVIER

Journal of Organometallic Chemistry 582 (1999) 393–396

Journal of Organometallic Chemistry

Contents of Volume 582

Special issue: Dedicated to Professor Alan Cowley on the occasion of his 65th birthday.

Preface 1

Regular Papers

Reactivity studies of η^2-acyl complexes of molybdenum: reactions with strong bases and with bidentate phosphines
L. Contreras, A. Pizzano, L. Sánchez, E. Carmona 3

Butenedithiolate triosmium cluster complexes from the reaction of $Os_3(CO)_{10}(NCMe)_2$ with 3,6-dihydro-1,2-dithiin
R.D. Adams, J.L. Perrin 9

Synthesis and structural features of new sterically hindered azaphosphatrane systems: $ZP(RNCH_2CH_2)_3N$
X. Liu, Y. Bai, J.G. Verkade 16

Coordination chemistry of aminoborylphosphanes. Crystal structure determinations of $(^iPr_2N)_2BP(H)SiPh_3 \cdot Cr(CO)_5$ and $[(^iPr_2N)_2BP(H)]_2SiMe_2 \cdot W(CO)_4$
T. Chen, J. Jackson, S.A. Jasper, E.N. Duesler, H. Nöth, R.T. Paine 25

Synthesis of an organogallium(I) compound $[Ga(CH_2CMe_2Ph)]_n$ with EPR spectral evidence for gallium clusters
O.T. Beachley, Jr., M.J. Noble, R.D. Allendoerfer 32

Preparation of mercury–anthracene derivatives: $\pi-\pi$-stacking, Hg···Cl and Hg···π interactions in the X-ray crystal structure of polymeric 9-chloromercurioanthracene
M. Tschinkl, R.E. Bachman, F.P. Gabbaï 40

Preparation of single-source precursors to nanocrystalline gallium arsenide and gallium antimonide. X-ray crystal structures of $[Et_2GaAs(SiMe_3)_2]_2$, $[Et_2GaSb(SiMe_3)_2]_2$ and $Et_2GaAs(SiMe_3)_2Ga(Et)_2Sb(SiMe_3)_2$
E.E. Foos, R.J. Jouet, R.L. Wells, A.L. Rheingold, L.M. Liable-Sands 45

From a terminal (*cis*-2-butene-1,4-diyl-1,4-diphosphinidene) complex to some new diphosphorus bicycles
N. Hoa Tran Huy, L. Ricard, F. Mathey 53

Cyclopentadienyl, indenyl, fluorenyl, and pentamethylcyclopentadienyl complexes of potassium with 18-crown-6
S. Neander, F.E. Tio, R. Buschmann, U. Behrens, F. Olbrich 58

The first beryllium diorganoarsenide: synthesis and structure of $(\eta^5\text{-}C_5Me_5)BeAs(t\text{-}Bu)_2$
S.L. Battle, A.H. Cowley, A. Decken, R.A. Jones, S.U. Koschmieder 66

Organometallic compounds of the lanthanides: Part CIXXX. Synthesis, structure and hydrolysis of 'moderately stable' hydrosilylation catalysts $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ln(\mu\text{-}Me)]_2$ and $[(\eta^5\text{-}C_5H_4SiMe_2^tBu)_2Ln(\mu\text{-}Me)]_2$
H. Schumann, M.R. Keitsch, J. Demtschuk, G.A. Molander 70

Preparation and organometallic complexes of the new unsymmetrical ligand: $Ph_2PNHC_6H_4PPh_2$
S.M. Aucott, A.M.Z. Slawin, J.D. Woollins 83

Some di- and tri-metal complexes derived from the synthon $[Ru(CO)_2(THF)(\eta^5\text{-}7,8\text{-}C_2B_9H_{11})]$
J.C. Jeffery, P.A. Jelliss, G.E.A. Rudd, S. Sakanishi, F.G.A. Stone, J. Whitehead 90

Synthesis and structural characterization of $(THF)_3Na\{(SnC_6H_3\text{-}2,6\text{-}Trip_2)_2\}$ (Trip = $C_6H_2\text{-}2,4,6\text{-}i\text{-}Pr_3$): effects of cation–anion association on Sn–Sn multiple bonding
L. Pu, S.T. Haubrich, P.P. Power 100

Examination of dibenzyl aluminum and gallium azides as potential precursors to AlN and GaN
M.-Á. Muñoz-Hernández, D. Rutherford, H. Tiainen, D.A. Atwood 103

Reactions of trialkylgalliums with substituted hydrazines leading to the formation of rings and cages: X-ray structures of $(^{i}Pr_2GaNHNMe_2)_2$ and $(MeGaNHN^{t}Bu)_4$
D.W. Peters, E.D. Bourret, M.P. Power, J. Arnold 108

Synthesis and X-ray structure of a [4]ferrocenophane containing a boron–boron bond
M.J.G. Lesley, U. Mock, N.C. Norman, A.G. Orpen, C.R. Rice, J. Starbuck 116

Compounds containing gallium–silicon bonding: syntheses and X-ray crystal structures of bis-[2(dimethylaminomethyl)phenyl]-[tris(trimethylsilyl)silyl]gallium, $Aryl_2GaSi(SiMe_3)_3$ and diphenyl-[tris(trimethylsilyl)silyl]gallium, $Ph_2GaSi(SiMe_3)_3 \cdot THF$
N.L. Pickett, O. Just, X. Li, D.G. Vanderveer, W.S. Rees, Jr. 119

Titanium σ-acetylides as building blocks for heterobimetallic transition metal complexes: synthesis and redox behaviour of π-conjugated organometallic systems
S. Back, R.A. Gossage, G. Rheinwald, I. del Río, H. Lang, G. van Koten 126

Preliminary Communication

Hydrosilylation of an hexa-olefin star with organometallic hydrogenosilanes: ferrocenylsilylation and desilylenation
J. Ruiz, E. Alonso, J.-C. Blais, D. Astruc 139

Author Index of Volume 582, Issue 1 142

Regular Papers

Organolanthanide chemistry with bis(trimethylsilyl)methyl- and *tert*-butyldimethylsilyl-substituted cyclopentadienyl ligands. Synthesis and characterisation of tris(cyclopentadienyl)lanthanide(III) complexes, including crystal structures of $[Ln\{\eta^5\text{-}C_5H_4CH(SiMe_3)_2\}_3]$ (Ln = Nd or Tm) and $[Ce\{\eta^5\text{-}C_5H_3(SiMe_2Bu^{t})_2\text{-}1,3\}_3]$
S. Al-Juaid, Y.K. Gun'ko, P.B. Hitchcock, M.F. Lappert, S. Tian 143

Electronic coupling of two $[Cp^*ClM]^+/[Cp^*M]$ reaction centers via π conjugated bridging ligands: similarities and differences between rhodium and iridium analogues
W. Kaim, S. Berger, S. Greulich, R. Reinhardt, J. Fiedler 153

A facile and selective synthesis of hydridotrirhenium cluster under solvothermal conditions
R. Sevvel, T.-W. Tseng, K.-L. Lu 160

Intermediates and anion effects in the activation of carbon–fluorine bonds by η^5-pentamethylcyclopentadienylrhodium halide complexes; crystal structure of $[\{\eta^5\text{-}C_5Me_3[CH_2C_6F_4P(C_6F_5)CH_2]_2\text{-}1,3\}RhBr]^+ \cdot Br^-$
M.J. Atherton, J. Fawcett, J.H. Holloway, E.G. Hope, D.R. Russell, G.C. Saunders 163

Ferrocenylpyrazolyl bridging rhodium dimers. Crystal structure of $[Rh(\mu\text{-}pz^{Fc})(COD)]_2$
J.A. Campo, M. Cano, J.V. Heras, E. Pinilla, M. Ruiz-Bermejo, R. Torres 173

Monitoring ECE transformations of metal carbonyls by in situ spectroelectrochemistry; SNIFTIRS of $[Co_3(CO)_9C]_2$
P.A. Brooksby, N.W. Duffy, A.J. McQuillan, B.H. Robinson, J. Simpson 183

Synthese, Struktur und Reaktivität zweikerniger Pentamethyl-Cyclopentadien-Nickelkomplexe mit verbrückenden Butadienliganden
J.J. Schneider, U. Denninger, R. Goddard, C. Krüger, C.W. Lehmann 188

Synthesis and characterization of triphenyl-, tri-*n*-butyl and di-*n*-butyltin derivatives of 4-carboxybenzo-18-crown-6 and -15-crown-5
M. Kemmer, L. Ghys, M. Gielen, M. Biesemans, E.R.T. Tiekink, R. Willem 195

Water-soluble metal complexes and catalysts: X. BIPHLOPHOS, a novel axially chiral diphosphine ligand: preparation and application in the asymmetric rhodium-catalyzed hydroformylation of styrene
F.A. Rampf, M. Spiegler, W.A. Herrmann 204

Synthesis of asymmetric β-hydroxy-cyclopentadienyl ligands and of their bidentate lanthanide complexes
A. Trifonov, F. Ferri, J. Collin 211

The role of functionalized phosphines in the hydrogenation of carboxylic acids in the presence of phosphine substituted hydrido ruthenium complexes
A. Salvini, P. Frediani, M. Bianchi, F. Piacenti, L. Pistolesi, L. Rosi 218

Reactions of haloarenes, haloheteroarenes and dihalobenzenes with triphenylstannyl anions in DMSO and acetonitrile
M.T. Lockhart, A.B. Chopa, R.A. Rossi 229

Comparative chemistry of η^3-oxaallyl and η^3-allyl rhodium(I) complexes in the hydrosilylation of cyclopropyl ketones: observation of an unprecedented rearrangement
C. Sun, A. Tu, G.A. Slough 235

Cyclopalladation of phenols in the form of mixed phosphite esters
V.I. Sokolov, L.A. Bulygina, O.Y. Borbulevych, O.V. Shishkin 246

Synthesis and characterization of novel organometallic compounds containing linked clusters. The molecular structure of $(CO)_6LCo_2M(\mu_3$-$C)C(O)OCH_2(\mu$-$CCH)Co_2(CO)_6$ [M = Co, W; L = CO, η^5-C_5H_5]
J. Zhang, X.-N. Chen, Y.-Q. Yin, W.-L. Wang, X.-Y. Huang 252

Synthesis and characterisation of linear triphos $\{PhP(CH_2CH_2PPh_2)_2\}$ bridged tri-, tetra- and pentametallic molybdenum(II) (π-allyl)/tungsten(II) (alkyne) complexes
P.K. Baker, M.M. Meehan 259

Geometry and electronic structure of bis(tetrahydridoborato)bis(cyclopentadienyl)zirconium(IV)
B. Sztáray, E. Rosta, Z. Böcskey, L. Szepes 267

Immobilization of zirconium amide on a Cp-modified silica surface and its use as a catalyst for ethylene polymerization
S. Timonen, T.T. Pakkanen, E. I. Iiskola 273

Homolytic displacements at two reactive centers: organodicobaloximes and organodisulfonyl chloride
B.D. Gupta, V. Singh, K. Qanungo, V. Vijai Kanth, R.S. Sengar 279

A simple route to essential tricarbollides. A high-yield synthesis of 7-amine-*nido*-7,8,9-tricarbaundecaboranes(10), 7-L-*nido*-7,8,9-$C_3B_8H_{10}$ (where L = H_3N, Me_2NH, Me_3N, and Bu^tH_2N)
B. Štíbr, J. Holub, J. Plešek, T. Jelínek, B. Grüner, F. Teixidor, C. Viñas 282

Organometallic Rh(III) complexes with the bifunctional ligand [2-(dimethylamino)ethyl]cyclopentadiene. Crystal structure of the $[\{\eta^5{:}\eta^1$-$C_5H_4(CH_2)_2NMe_2\}Rh^{III}Cl_2]$ complex
A.I. Philippopoulos, B. Donnadieu, R. Poilblanc, N. Hadjiliadis 286

Synthesis and X-ray structures of trivalent lanthanide (+)-neomenthylcyclopentadienyl complexes
W.-P. Leung, F.-Q. Song, F. Xue, Z.-Y. Zhang, T.C.W. Mak 292

The first early transition metal perfluorovinyl complexes: the synthesis of $Cp_2M(CF{=}CF_2)_nX_{2-n}$ (Cp: η^5-$C_5H_5^-$; M = Ti, Zr; X = Cl or F) and structures of $Cp_2Ti(CF{=}CF_2)_nX_{2-n}$ (X = Cl, F) via Ti K-edge EXAFS studies
K.K. Banger, A.K. Brisdon 301

Mixed-metal cluster chemistry: Part 14: reaction of $[Cp_2W_2Ir_2(CO)_{10}]$ with trimethylphosphite; X-ray crystal structures of $[Cp_2W_2Ir_2(\mu$-$CO)_3(CO)_5\{P(OMe)_3\}_2]$ and two modifications of $[CpWIr_3(\mu$-$CO)_3(CO)_7\{P(OMe)_3\}]$
S.M. Waterman, M.G. Humphrey, D.C.R. Hockless 310

Synthesis, characterization and X-ray structural, electrochemical and Mössbauer study of mercury(II) complexes with 1′-(diphenylphosphino)ferrocenecarboxylic acid
P. Štěpnička, I. Císařová, J. Podlaha, J. Ludvík, M. Nejezchleba 319

Synthese und Polymerisationseigenschaften substituierter *ansa*-Bis(fluorenyliden)komplexe des Zirconiums
P. Schertl, H. G. Alt 328

Tribenzylidenemethane complexes of ruthenium. Synthesis and effects of the diastereoisomerism on the crystal packing
G. E. Herberich, T. P. Spaniol 338

Meta and *para* metallation of EPh_4^+ (E = P, As) and $N(PPh_3)_2^+$ by the dinuclear acylanion $[Re_2(\mu$-$H)(\mu$-$PCy_2)(CO)_7ax$-$(C(Ph)O)]^-$. Formation of zwitterionic cluster complexes $Re_2(\mu$-$H)(\mu$-$PCy_2)(CO)_7(x$-$C_6H_4EPh_3)$ (E = P, As; $x = m, p$) and $Re_2(\mu$-$H)(\mu$-$PCy_2)(CO)_7(x$-$C_6H_4PPh_2NPPh_3)$
H. Egold, M. Schraa, U. Flörke 345

1-Dialkylamino-1-phospha-[1]ferrocenophanes—synthesis and characterisation
M. Herberhold, F. Hertel, W. Milius, B. Wrackmeyer 352

Preliminary Communication

Synthesis of 1,3-dioxolanes by the addition of ketones to epoxides by using $[Cp^*Ir(NCMe)_3]^{2+}$ as catalyst
R.D. Adams, T.S. Barnard, K. Brosius 358

Priority Communication

N-heterocyclic carbenes: novel ruthenium–alkylidene complexes
T. Weskamp, F.J. Kohl, W.A. Herrmann 362

Errata 366

Conference Calender 379
Author Index of Volume 582 383
Subject Index of Volume 582 385
Contents of Volume 582 393